

# INDEX TO VOLUME XXI

## INDEX TO AUTHORS, WITH TITLES

- Abou-Chaar, Charles I. The alkaloids of *Lupinus termis*. I. Isolation of 13-hydroxylupanine from Lebanese-grown lupine seed 367
- Anderson, Arthur B. Silvichemicals from the forest 15
- Armstrong, W. D. See Singer et al. 285
- Baranov, A. E. Wild vegetables of the Chinese in Manchuria 140
- Barnes, Donald K., and Ruben H. Freyre. Recovery of natural insecticides from *Tephrosia vogelii*. III. An improved procedure for sampling and assaying rotenoid content in leaves 93
- Bedi, Ramesh. *Alectra parasitica* var. *chitrakutensis* 277
- Boe, A. A., and D. K. Salunkhe. Ripening tomatoes: ethylene, oxygen, and light treatments 312
- Burton, Glenn W. A search for the origin of Pensacola Bahia grass 379
- Colberg, Carlos. See Gregory et al. 351
- Conklin, Harold C. Ifugao ethnobotany 1905-1965: the 1911 Beyer-Merrill report in perspective 243
- Core, Earl L. Ethnobotany of the southern Appalachian aborigines 198
- Crellin, J. K. The Wellcome Materia Medica Collection and Herbarium as research aids 235
- Daus, Donald G. Plant patents: a potentially extinct variety 388
- Davis, G. N. See Davis et al. 345
- Davis, R. M., Jr., G. N. Davis, and U. G. H. Meinert. Genetic and environmental correlations of leaf and fruit shapes of *Cucumis melo* 345
- Dost, William A. Progress in wood residue use in California 42
- Fletcher, W. A. See Schroeder and Fletcher 81
- Francois, L. E. See Yermanos et al. 69
- Freyre, Ruben H. See Barnes and Freyre 93
- Fritz, Emanuel. The redwoods of California—largest of economic plants 51
- Fryxell, Paul A. See Lukefahr and Fryxell 128
- Gaskins, Murray H. See Gregory et al. 351
- Goor, Asaph. The history of the date through the ages in the Holy Land 320
- . The history of the pomegranate in the Holy Land 215
- Gray, William D., and Mohan D. Karve. Fungal protein for food and feeds. V. Rice as a source of carbohydrate for the production of fungal protein 110
- , and Roscoe Paugh. Fungal protein for food and feeds. VI. Direct use of cane juice 273
- , and Ian A. Staff. Fungal protein for food feeds. VII. Calorie values of fungus mycelium 341
- Gregory, Luis E., Murray H. Gaskins, and Carlos Colberg. Parthenocarpic pod development by *Vanilla planifolia* Andrews induced with growth-regulating chemicals 351
- Hassan, Ikram. Some folk uses of *Peganum harmala* in India and Pakistan 284
- Hauptmann, Gerhard A. See Worthley et al. 238
- Hu, Shiu-Ying. The economy botany of Dragon Tongue 288
- Johannessen, Carl L. Pejibaye palm: physical and chemical analysis of the fruit 371
- Jones, Alfred. Should Nishiyama's K123 (*Ipomoea trifida*) be designated *I. batatas*? 163
- Joyner, J. F., and F. D. Wilson. Effects of row and plant spacing and time of planting on seed yield of kenaf 99
- Karve, Mohan D. See Gray and Karve 110
- Knowles, P. F. Processing seeds for oil in towns and villages of Turkey, India and Egypt 156
- Lukefahr, M. J., and Paul A. Fryxell. Contents of gossypol in plants belonging to genera related to cotton 128
- Margetts, Edward L. Miraa and myrrh in East Africa—clinical notes about *Catha edulis* 358
- McComen, Richard J. The use and development of America's forest resources 2
- Meinert, U. G. H. See Davis et al. 345
- Metcalfe, C. R. Distribution of latex in the plant kingdom 115
- Mikuriya, Tod H. Kif cultivation in the Rif Mountains 231
- Morton, Julia P. The balsam pear—an edible, medicinal and toxic plant 57
- . Cadushi (*Cercus repandus* Mill.), a useful cactus of Curacao 185
- Paugh, Roscoe. See Gray and Paugh 273
- Reeve, R. M. A review of cellular structure, starch, and texture qualities of processed potatoes 294
- Rick, Charles M. Fruit and pedicel characters derived from Galapagos tomatoes 171
- Salunkhe, D. K. See Boe and Salunkhe 312
- Sambandam, C. N. Guide chart for color combinations in hybrid eggplants 309
- Schott, C. Donald. See Worthley et al. 238
- Schroeder, C. A., and W. A. Fletcher. The Chinese gooseberry (*Actinidia chinensis*) in New Zealand 81
- Seidel, Eugene M. New developments in silvichemicals 31.

- Singer, Leon, W. D. Armstrong, and Govindakutty T. Vatasery. Fluoride in commercial tea and related plants 285
- Staff, Ian A. See Gray and Staff 341
- Tammadoni, T. See Yermanos et al. 69
- Tanaka, Tyoaburo. Progress in the development of economic botany and knowledge of food plants 383
- Toy, S. J., and B. C. Willingham. Some studies on secondary dormancy in *Limnanthes* seed 363
- Uhe, George, Jr. Collecting plants material for pharmaceutical testing 167
- Vatasery, Govindakutty T. See Singer et al. 285
- Willingham, B. C. See Toy and Willingham 363
- Wilson, F. D. An evaluation of kenaf, roselle, and related *Hibiscus* for fiber production 132
- Wilson, F. D. See Joyner and Wilson 99
- Worthley Elmer G., C. Donald Schott, and Sp 4 Gerhard A. Hauptmann. Toxicity of some goldenrods 238
- Yermanos, D. M., L. E. Francois, and T. Tammadoni. Effects of soil salinity on the development of jojoba 69
- Youngs, Robert L. Present methods of drying and conditioning wood for use 46

## INDEX TO REVIEWS AND NOTICES

- Ainsworth, G. C., and Alfred S. Sussman (ed.). The fungi. An advanced treatise. Vol. I. The fungal cell; review 106
- Anderson, A. W. How we got our flowers; review 401
- Announcement 170
- Baskin, Esther. The poppy and other deadly plants; review 398
- Chopra, R. N., R. L. Badhwar, and S. Ghosh. Poisonous plants of India; review 401
- Council of Scientific and Industrial Research, India. The wealth of India: raw materials, Vol. 7; review 399
- Critchfield, William B., and Elbert L. Little, Jr. Geographic distribution of the pines of the world; review 397
- Darwin, Charles. The power of movement in plants; review 194
- Dawson, E. Yale. Marine botany: an introduction; review 104
- Grimm, William Carey. Recognizing native shrubs; review 400
- Index to Volume 21 403
- International Atomic Energy Agency. Mutations in plant breeding; review 395
- Jensen, William A., and Leroy G. Kavaljian (ed.). Plant biology today; review 912
- Jones, George Neville. An annotated bibliography of Mexican ferns; review 107
- Lamb, F. Bruce. Mahogany of tropical America. Its ecology and management; review 195
- Machlis, Leonard (ed.). Annual review of plant physiology. Vol. 17; review; 107
- McCormick, Jack. The life of the forest; review 401
- Meeuse, A. D. J. Fundamentals of phytomorphology; review 193
- Menninger, Edwin A. Fantastic trees; review 192
- Merino-Rodriguez, M. Elsevier's lexicon of plant diseases and pests; review 108
- Myers, R. Maurice. Forage plants; review 397
- Montgomery, F. H. Plants from sea to sea; review 196
- News of The Society for Economic Botany 1, 109, 197, 293
- Parsons, Mary Elizabeth. The wild flowers of California; review 398
- Patrick, Ruth, and Charles W. Reimer. The diatoms of the United States; review 193
- Raper, John R. Genetics of sexuality in higher fungi; review 105
- Seagel, Robert F. Marine algae of British Columbia and northern Washington. Part I: Chlorophyceae (green algae); review 193
- Schultze-Motel, Jürgen. Verzeichnis Forstlich Kultivierter Pflanzenarten; review 399
- Stebbins, G. Ledyard. Processes of organic evolution; review 194
- Stern, William T. Botanical Latin. History, grammar, syntax, and vocabulary; review 103
- Strabo, Walahfrid. Hortulus; review 398
- Vernon, Leo P., and Gilbert R. Seeley (ed.). The chlorophylls; review 195
- Wallace, Bruce. Chromosomes, giant molecules, and evolution; review 395
- Week, Johannes et al. Dictionary of forestry in five languages; review 397
- Wells, Mary Hallock, and D. H. Mitchel. Colorado mushrooms; review 104
- Willis, J. C. A dictionary of flowering plants and ferns; review 400
- Wilson, Malcolm, and D. M. Henderson. British rust fungi; review 103
- Winterringer, Glen S., and Alvin C. Lopinot. Aquatic plants of Illinois; review 396
- Wood, Robert S. An English-classical dictionary for the use of taxonomists; review 402

## INDEX TO GENERIC AND SPECIFIC NAMES

- Abies concolor* 28  
*Abutilon theophrasti* 142, 152  
*Acacia leucophloea* 277; *pycnantha* 25  
*Acalypha* 252, 264; *stipulacea* 251, 264  
*Acer pensylvanicum* 209; *rubrum* 209; *saccharum* 209  
*Achras zapota* 124  
*Achyranthes aspera* 277  
*Acremonium* 342, 343  
*Acremonium* 342  
*Acrostalagmus* 342  
*Actinidia* 82-85, 88-90; *arguta* 82, 84, 142, 152; *callosa* 82; *chinensis* 81-92, f82, f83, f84, f85, f86, f87, f88, f89, f90; *foveolata* 84; *kolomiekta* 82, 84; *polygama* 82, 84, 90  
*Adenocaulon adhaerescens* 152  
*Adenophora verticillata* 152  
*Adenostemma lavenia* 253, 264; *viscosum* 253  
*Adhatoda vasica* 284  
*Aegopodium alpestre* 152  
*Ageratum conyzoides* 258, 264  
*Agrostis* 392  
*Albizia marginata* 256, 264; *saponaria* 261, 264  
*Aletris* 277; *indica* 277; *parasitica* 277; *var chitrakutensis* 277-283; *thomsonii* 277  
*Aletris farinos* 204  
*Allium* 117; *canadense* 204; *cernuum* 204; *macrostemon* 142, 151; *monanthum* 153; *odorum* 151; *schoenoprasum* 151; *senescens* 151; *tricoecum* 204; *victoralis* 147, 151  
*Alternaria* 342  
*Amaranthus* 206; *alba* 206; *hybridus* 200; *retroflexus* 151, 206; *spinosus* 250, 264  
*Amblyosporium* 342  
*Amelanchier arborea* 207  
*Amelopsis heterophylla* 249, 264  
*Amplicarpa bracteata* 208  
*Andropogon halepense* var. *propinqua* 250; *halepensis* var. *propinquus* 250, 264; *sorghum* 255, 264  
*Anemone virginiana* 206  
*Angelica atropurpurea* 210  
*Antennaria plantaginifolia* 213  
*Anthonomus grandis* 128  
*Antidesma bunius* 251, 264  
*Apios tuberosa* 208  
*Apocynum cannabinum* 211  
*Aralia continentalis* 152; *mandshurica* 142, 152; *racemosa* 210  
*Aretium lappa* 152  
*Argemone* 123; *mexicana* 123, 124  
*Arisaema triphyllum* 204  
*Aristolochia serpentaria* 205  
*Artemisia dracunculul* 152; *sclengensis* 152  
*Arthrobotrys* 342  
*Artocarpus blancoi* 259, 264; *communis* 259; *integrifolia* 257, 264  
*Arundinaria gigantea* 203  
*Asarum canadense* 205  
*Asclepias curassavica* 250, 264; *subulata* 118; *syriaca* 211; *tuberosa* 211  
*Asimina* 207; *triloba* 207  
*Asparagus* 153; *dahuricus* 150  
*Aspergillus niger* 341, 343; *oryzae* 341, 343  
*Astilbe chinensis* 151  
*Athyrium esculentum* 250, 264; *filis-femina* 203  
*Beauveria* 342  
*Berberis amurensis* 151  
*Berlardia* 119  
*Betula lenta* 205  
*Bidens pilosa* 256, 259, 264  
*Bignonia capreolata* 212  
*Bischofia javanica* 260, 261, 264  
*Bixa orellana* 383  
*Blechnum orientale* 250, 264  
*Boeckonia* 123  
*Boehmeria* 257, 264; *multiflora* 257, 258, 264; *nivea* 253, 264  
*Botryodiplodia* 342  
*Botryosphaeria* 342  
*Botryotrichum* 342  
*Botrytis* 342  
*Brachybotrys paridiformis* 152  
*Brassica* 385  
*Broussonetia* 122  
*Breynia cernua* 256, 264  
*Bryophyllum pinnatum* 250, 264  
*Buddleia asiatica* 250, 254, 264  
*Bursera graveolens* 173  
*Caecalia atriplicifolia* 213; *hastata* 152  
*Cajanus cajan* 257, 264  
*Calcarisporium* 342  
*Callicarpa formosana* 250, 264  
*Caltha palustris* 151, 206  
*Calystegia* 120  
*Camassia esculenta* 204  
*Camellia* 285, 286; *japonica* 285; *sinensis* 285, 286  
*Campanula punctata* 152  
*Canarina* 118  
*Canna indica* 257, 264  
*Cannabis* 118; *sativa* 231  
*Capsella bursa-pastoris* 142, 144, 151  
*Capsicum* 385; *frutescens* 259, 264  
*Caragana arborescens* 152  
*Cardiopteris lobata* 122  
*Carduus crispus* 152  
*Carica* 115  
*Carissa* 277  
*Carpodinus* 117  
*Carthamus tinctorius* 156, 383  
*Carya ovata* 205  
*Castanea dentata* 25, 205; *pumila* 205  
*Castela galapageia* 173  
*Castilla elastica* 117, 122  
*Castilleja coccinea* 212  
*Catalpa speciosa* 212  
*Catha edulis* 358-362  
*Cathartica* 123  
*Caulophyllum thalictroides* 206  
*Ceanothus americanus* 209  
*Celastrus rugosus* 119; *scandens* 209  
*Celtis occidentalis* 205  
*Cephalosporium* 342

- Cercospora* 342  
*Cereus repandus* 185-191, f186  
*Chaetomella* 342  
*Chaetophomella* 342  
*Chamaelirium luteum* 204  
*Chamaenerion angustifolium* 153  
*Chelidonium* 123, 124; majus 147, 151  
*Chelone glabra* 211  
*Chenopodium* 142; album 144, 147, 151, 206; ambrosioides 206, 258, 264; centrorubrum 151; hybridum 206; stenophyllum 151; urbicum 151  
*Chimaphila umbellata* 210  
*Chloridium* 342  
*Chrysanthamnus nauseosus* 119  
*Cicer arietinum* 283  
*Cicuta maculata* 210; virosa 152  
*Cienfuegosia* 128-130; affinis 129; argentina 129; digitata 128-130; drummondii 129; heterophylla 129, 130; hildebrandtii 129, 130; sulfurea 129; welshii 129, 130; yucatanensis 129, 130  
*Cimicifuga racemosa* 206  
*Cirsium mackii* 154; schantarense 154  
*Citrullus vulgaris* 282  
*Citrus* 59, 255; acida 255; aurantifolia 255, 264; decumana 258; grandis 258, 264; mitis 255, 264  
*Cladosporium* 273, 342  
*Claviceps purpurea* 392  
*Clerodendron intermedium* 256, 264  
*Clostridium grandiflora* 118; roseum 118  
*Coffea arabica* 257, 264  
*Coix lachrymajobi* 257, 264  
*Coleus igolotorum* 260, 264  
*Colletotrichum* 342  
*Collinsonia canadensis* 211  
*Colocasia antiquorum* 257, 258; esculenta 257, 258, 264  
*Commelina communis* 150; diffusa 251, 264; nudiflora 251  
*Commiphora* 361  
*Coniothyrium* 342  
*Conopholis americana* 212  
*Convolvulus* 120  
*Cordia lutea* 173  
*Cordia blancoi* 250, 264  
*Cordyline fruticosa* 253, 264; terminalis 253  
*Cornus amomum* 201, 210; florida 210  
*Corylus americana* 205  
*Coryneum* 342  
*Coryphantha* 118  
*Cosmos caudatus* 259, 264  
*Coula* 123  
*Crataegus punctata* 207  
*Croton tiglium* 260, 264  
*Cryptostegia grandiflora* 118  
*Cucumis melo* 282, 345-350; var. cantaloupensis 345; var. reticulatus 345, 350; melo utilisissimus 282; sativus 282, 345  
*Cucurbita maxima* 212; moschata 212; pepo 200, 212  
*Cucurbita recurvata* 260, 264  
*Cucurbita zedoaria* 261, 264  
*Curvularia* 342  
*Cylindrocarpon* 342  
*Cylindrocephalum* 342  
*Cynodon dactylon* 277, 281  
*Cyperus* 277; distans 256, 264; papyrus 162  
*Cypripedium pubescens* 204  
*Cytospora* 342  
*Dactylium* 111, 112; dendroides 110, 114  
*Dalbergia polyphylla* 259, 265  
*Decaisnea fargesii* 115, 117, 122  
*Decaspermum fruticosum* 251, 265; paniculatum 251  
*Dendrophoma* 342  
*Dentaria laciniata* 207  
*Derris* 93  
*Desmodium heterocarpum* 256, 265; sinuatum 260, 265  
*Dioscorea alata* 258, 265  
*Diospyros kaki* 180; melanoxydon 277; virginiana 211  
*Dirca palustris* 210  
*Dolichos lablab* 256, 265  
*Doratomyces* 342  
*Draba nemorosa* 142, 151  
*Drymaria cordata* 253, 265  
*Dryopteris crassirhizoma* 150; luerssenii 259, 265  
*Duidaea* 119; pinifolia 119  
*Dyera costulata* 117  
*Echinochloa crus-galli* 150  
*Eclipta alba* 259, 265, 291  
*Eganthus* 123  
*Elaeocarpus* 257, 265; pendulus 256, 265  
*Elatostema carinai* 260, 265  
*Elephantopus mollis* 259, 265  
*Elettaria cardamomum* 282  
*Eleusine indica* 250, 251, 265  
*Elsholtzia patrinii* 152  
*Endusa* 123  
*Epicoceum* 342  
*Equisetum hyemale* 203  
*Erigeron canadensis* 213  
*Eryngium yuccifolium* 210  
*Erythrina velutina* 173  
*Eschscholtzia* 123  
*Eucommia ulmoides* 120  
*Eugenia* 250, 265  
*Euonymus atropurpureus* 209; europaeus 119  
*Eupatorium perfoliatum* 212, 213; purpureum 212  
*Euphorbia* 116, 120-122; corollata 209; marginata 121, 122; phosshorea 121; pilulifera 251, 265; pulcherrima 121  
*Eurya acuminata* 256, 265  
*Euryale ferox* 142, 144, 147, f148, 151  
*Excoecaria agallocha* 120  
*Fagus grandifolia* 205  
*Ficus* 122, 260, 265; elastica 122, 123; fiskei 259, 265; hauili 258, 265; indica 255, 265; odorata 250, 265; philippinensis 258; retusa var. nitida 122  
*Flacourtia* 277  
*Fortunella japonica* 82  
*Fragaria virginiana* 207  
*Franklinia* 286, 291; alatamaha 285, 286, 291  
*Fraxinus americana* 211  
*Fritillaria kamschatensis* 151

- Funtumia elastica* 117  
*Fusarium* 342  
*Fusicocum* 342  
*Garcinia venulosa* 252, 265  
*Gaultheria procumbens* 210  
*Gaylussacia baccata* 210  
*Gazania splendens* 120  
*Gentiana quinquefolia* 211  
*Geomyces* 342, 343  
*Geranium maculatum* 208  
*Geum rivale* 207  
*Gillenia trifoliata* 207  
*Ginkgo biloba* 392  
*Gironniera glabra* 255, 265  
*Glaucium* 123, 124  
*Gleditsia triacanthos* 208  
*Gliocladium* 111, 342; *deliquescens* 110  
*Gliomastix* 342  
*Gnaphalium luteoalbum* 260, 265; *obtusifolium* 213  
*Gongylolepis* 119; *benthamiana* 119; *fruticosa* 119; *huachamacari* subsp. *neblinensis* 119  
*Gonytrichum* 342  
*Goodyera repens* 205  
*Gossypoides* 128, 130  
*Gossypium* 128, 130; *aridum* 130; *australe* 130; *bickii* 130; *hirsutum* 128, 129; *klotzschianum* var. *davisonii* 130; *thurber* 130  
*Gnaiacum officinale* 185  
*Gypsophila dahurica* 153  
*Guilielma gasipaes* 371  
*Gymnocladus dioica* 208  
*Haematoxylon brasiletto* 185  
*Hainesia* 342  
*Hamamelis virginiana* 207  
*Hampea* 128, 130  
*Heisteria* 123  
*Helianthus annuus* 200, 213; *tuberosus* 200, 213  
*Helicoma* 342  
*Hemerocallis* 142, 144, 147; *flava* 151; *fulva* 146; *middendorffii* 151; *minor* 151  
*Heraclium* 147; *barbatum* 152  
*Hevea* 121, 125; *brasiliensis* 27, 115-117, 120, 121  
*Hibiscus* 132-139, f135; sect. *Furcaria* 132, 135, 137, 139; sect. *Ketmia* 132, 137; *acetosella* 133-136; *bifurcatus* 133-136; *cannabinus* 99, 132-139, f135; *diversifolius* 133-136, f135; *dongolensis* 132-137, f135; *furcellatus* 133-136; *maculatus* 133-136; *meeusei* 133-137, f135; *radiatus* 133-137; *rostellatus* 133-137; *sabdariffa* 132-138; *sudanensis* 132-136, f135; *surattensis* 133-137  
*Hormiacella* 342  
*Hormodendrum* 342  
*Humicola* 342  
*Humulus* 118  
*Hyalopus* 342  
*Hydrastis canadensis* 206  
*Hydrophyllum virginianum* 211  
*Hypocum* 124  
*Hypericum ascyron* 153; *japonicum* 253, 265  
*Hyptis brevipes* 260, 265  
*Ichnocarpus frutescens* 277  
*Ilex vomitoria* 201, 209  
*Impatiens biflora* 209; *noli-tangere* 152  
*Imperata cylindrica* 255, 265, 291  
*Inula britannica* var. *japonica* 154  
*Ipomoea* 163, 164; *batatas* 163-166, 211, 250, 257, 265; *commutata* 163; *pandurata* 211; *trifida* 163-166  
*Iris versicolor* 204  
*Isanthera discolor* 255, 265  
*Ixeris chinensis* subsp. *versicolor* 154  
*Jatropha* 122; *curcas* 260, 265  
*Juglans cinerea* 205  
*Juncus effusus* 204  
*Justicia gendarussa* 256, 265  
*Kochia scoparia* 142, 151; *sieversiana* 153  
*Kokia* 128, 130; *cookei* 129  
*Kummerovia striata* 153  
*Lactuca canadensis* 213; *serriola* f161, 162; *sibirica* 154; *virosa* 120  
*Lagenaria siceraria* 200, 212  
*Lamium album* 154; *barbatum* 154  
*Landolphia* 117; *heudelotii* 117; *thollonii* 117  
*Lantana* 277; *camara* 63  
*Larix occidentalis* 23  
*Lathyrus davidii* 152  
*Leea aquata* 277  
*Lemaireocereus griseus* 185, f187, 190  
*Leonurus sibiricus* 152, 291  
*Lepidium* 142; *apetalum* 151; *ruderales* 151  
*Lespedeza bicolor* 142, 152  
*Leuchtenbergia* 118  
*Leucosyke hispidissima* 257, 265  
*Libocedrus decurrens* 17  
*Ligularia speciosa* 152  
*Lilium* 144, 147, 153, *dauricum* 151; *pulchellum* 151  
*Limnanthes* 363-366; *alba* var. *alba* 364, 365; var. *versicolor* 364, 365; *bakeri* 364, 365; *douglasii* var. *douglasii* 364, 365; var. *nivea* 364, 365; var. *rosea* 364, 365; *floccosa* var. *floccosa* 364, 365; *gracilis* var. *parishii* 364, 365; *montana* 364; *striata* 364, 365  
*Lindera benzoin* 207  
*Liriodendron tulipifera* 206  
*Lithocarpus densiflorus* 25  
*Litsea* 256, 265  
*Lobelia inflata* 212; *siphilitica* 212  
*Lonchocarpus* 93  
*Lonicera* 154  
*Lophotrichus* 342  
*Lupinus termis* 367-370  
*Lycopersicon* 175, 178, 182-184; *cheesmanii* 171, 175; *chilense* 181; *esculentum* 171, 173, 182; var. *cerasiforme* 261; var. *minor* 171, f173, 175, 180; var. *V. R. Moscow* 312; *hirsutum* 181; *peruvianum* 181; *pimpinellifolium* 171, f173, 173, 175, f177, 180  
*Lycopersicum esculentum* 261, 265  
*Lycopus lucidus* 154  
*Lygodium flexuosus* 291  
*Macaranga eumigii* 251, 265  
*Maclura* 122  
*Macrophomina* 342  
*Macrosporium* 342  
*Malum punicum* 215  
*Manihot glaziovii* 116, 120  
*Manikara bidentata* 124



- Maoutia setosa* 257, 265  
*Marattia* 251, 265  
*Margarinomyces* 342  
*Meconopsis* 123  
*Medeola virginiana* 204  
*Medicago sativa* 393; *varia* 393  
*Medinilla astronioides* 260, 265; *elmeri* 251, 265  
*Melastoma polyanthum* 253, 265  
*Mellilotus suaveolens* 152  
*Meloidogyne incognita acrita* 134  
*Menispermum canadense* 206; *dauricum* 151  
*Mentha arvensis* 250, 265  
*Mesobotrys* 342  
*Metaplexis japonica* 142, 152  
*Microlepia apelluncae* 250, 265  
*Minuartia* 123  
*Miscanthus japonicus* 253, 265; *sinensis* 251, 265  
*Mitchella repens* 212  
*Mollugo verticillata* 206  
*Momordica* 59; *balsamina* 57, 62, 259; *charantia* 57, 59, f60, f61, 62, 259, 265; *var. abbreviata* 58, f58; *cylindrica* 57; *dioica* 59; *tuberosa* 59; *zelanica* 58  
*Monarda didyma* 211; *fistulosa* 221  
*Monochoria vaginalis* 256, 265; *var. plantaginea* 255, 265  
*Monotropa* 342  
*Monotropia uniflora* 210  
*Morus* 122; *alba* 153, 291; *rubra* 205  
*Musa ensete* 123  
*Mycobacterium tuberculosis* 282  
*Mycogone* 342  
*Myriotheicum* 342  
  
*Nasturtium indicum* 261, 266; *montanum* 261  
*Neblinaea* 119; *promontiorum* 119  
*Neomamillaria* 118  
*Nereum oleander* 117  
*Nicotiana rustica* 200, 201, 211; *tabacum* 201, 260, 266  
*Nigrospora* 342  
*Nuphar advena* 206  
*Nymphoides peltatum* 153  
  
*Ochanostachys* 123  
*Oenanthe javanica* 142, 147, 152  
*Oidiiodendron* 342  
*Opuntia* 173; *echinops* 173; *humifusa* 210  
*Orontium aquaticum* 204  
*Orostachys spinosus* 151  
*Oryza sativa* 256, 259, 266  
*Osmunda cinnamomea* 203  
  
*Paeclomyces* 342  
*Paeconia albiflora* 151  
*Panax quinquefolius* 210  
*Panicum crusgalli* 251, 266; *palmaefolium* 258  
*Papaver* 123  
*Papularia* 342  
*Parkinsonia aculeata* 173  
*Parthenium argentatum* 115, 117, 119  
*Paspalum notatum* 379, 380; *var. sauriae* 379, 380  
*Passiflora incarnata* 209  
*Peganum harmala* 284  
*Peltandra virginica* 204  
*Penicillium glaucum* 341  
  
*Periconia* 342  
*Postalotia* 342  
*Pezizella* 342  
*Phaseolus aureus* 251, 266; *coccineus* 393; *lunatus* 200, 208; *polystachios* 208; *radiatus* 251; *vulgaris* 200, 208, 393  
*Phialophora* 342  
*Phoenix dactylifera* 320; *reclinata* 321; *spinosa* 321; *sylvestris* 321  
*Phoma* 342  
*Phragmites communis* 150, 203  
*Phyllanthus* 255, 261, 266; *currenii* 251; *erythrorichus* 255, 266; *niruri* 258, 266; *simplex* 251, 266  
*Phyllostictus* 342  
*Physalospora* 342  
*Phytolacca americana* 206  
*Pinus* 17; *contorta* 27; *elliottii* 17, 19; *jeffreyi* 17; *lambertiana* 27; *palustris* 19; *ponderosa* 17; *sylvestris* 17  
*Piper* 251, 266; *betle* 257, 266  
*Pipturus arboreus* 255, 266  
*Plagiopteron* 122  
*Plantago depressa* 154; *major* 152; *rugelii* 212  
*Platanus occidentalis* 207  
*Platystemon* 123  
*Plectodiscella* 342  
*Plectranthus excisus* 152; *glaucocalyx* 152  
*Pleurospermum kamtschaticum* 152  
*Poa* 392  
*Podophyllum peltatum* 206  
*Polygala senega* 208  
*Polygonatum officinale* 153  
*Polygonum aviculare* 153; *barbatum* 251, 257, 266; *chinense* 257, 266; *divaricatum* 153; *heterophyllum* 153; *limosum* 153; *nodosum* 153; *orientale* 153; *rigidum* 153  
*Polypodium punctatum* 254, 266  
*Populus* 392; *pseudo-simonii* 153  
*Portulaca oleracea* 147, 151, 250, 258, 266  
*Potentilla supina* 153  
*Prunus americana* 208; *angustifolia* 208; *armeniaca* 290; *serotina* 208  
*Pseudotsuga taxifolia* 25  
*Psidium guajava* 254, 255, 266  
*Psophocarpus tetragonolobus* 251, 266  
*Pteridium aquilinum* 203  
*Pterocarpus indicus* 254, 266  
*Pullularia* 111; *pullulans* 110  
*Punica granatum* 215  
*Pyrus coronaria* 207  
  
*Quelchia* 119; *cardonae* 119  
*Quercus alba* 205  
  
*Regnellidium* 115; *diphyllum* 124  
*Rhamnus caroliniana* 209  
*Rhinocladia* 342  
*Rhizoctonia* 342, 343  
*Rhododendron nudiflorum* 210  
*Rhus aromatica* 209; *typhina* 209  
*Ribes cynobasti* 207; *rotundifolium* 207  
*Ricinus communis* 255, 266  
*Robinia pseudo-acacia* 208  
*Roemeria* 123  
*Roripa palustris* 153  
*Rose laevigata* 291

- Rubus allegheniensis* 203; *crataegifolius* 152;  
*fraxinifolius* 251, 259; *moluccanus* 259, 226;  
*occidentalis* 208; *odoratus* 208; *rosaefolius*  
 251, 259, 260, 266; *roribaccus* 208  
*Rumex acetosa* 147, 151; *acetosella* 151  
*Sagittaria latifolia* 203; *sagittifolia* f141; tri-  
 folia 150  
*Salix interior* 205; *pseudo-matsudana* 153;  
*sungkianica* 153; *triandra* 153  
*Salsola collina* 153; *ruthenica* 153  
*Sambucus* 152; *canadensis* 212  
*Sandoricum indicum* 256, 266  
*Sanguinaria* 123; *canadensis* 123, 207  
*Sarracenia purpurea* 207  
*Sassafras albidum* 207  
*Saurauia subglabra* 253, 266  
*Sauropus* 289, 290; *changiana* 289, 292; *rostra-*  
*tus* 289  
*Saxifraga micranthidifolia* 207  
*Scaevola pedunculata* 173  
*Schefflera octophylla* 291  
*Schizandra chinensis* 151  
*Scirpus validus* 204  
*Sclerotium* 342  
*Scopularia* 342  
*Scopulariopsis* 342  
*Scutellaria baicalensis* 154  
*Senecio aureus* 213  
*Septomyxa* 342  
*Sequoia* 342  
*Sequoia gigantea* 51; *sempervirens* 17, 51  
*Sesamum indicum* 258, 266  
*Setaria palmifolia* 258, 266  
*Siegesbeckia orientalis* 253, 266  
*Silene virginica* 206  
*Simmondsia californica* 69  
*Smilax pseudo-china* 204  
*Smithia sensitiva* 255, 266  
*Solanum melongena* 309; *nigrum* f143, 147,  
 152, 250, 266; *pennellii* 182; *tuberosum* 211  
*Solidago* 115, 238; *canadensis* 238, 240, 241;  
*flexicaulis* 238, 240, 241; *graminifolia* 238;  
*hispida* 238, 240, 241; *juncata* 238, 240, 241;  
*odora* 213; *rugosa* 238, 240, 241; *serotina*  
 238, 240, 241; *squarrosa* 238, 240, 241;  
*uliginosa* 238, 240, 241  
*Sonchus arvensis* 142, 152  
*Sphallerocarpus gracilis* 153  
*Spicaria* 342  
*Spigelia marilandica* 211  
*Spilanthes acmella* 253, 266; *grandiflora* 253,  
 266  
*Spiraea alba* 201, 207  
*Sporotrichum* 342  
*Stachys baicalensis* 152; *chinensis* 154  
*Stewartia gemmata* 285, 286; *koreana* 285, 286  
*Stilbella* 342  
*Streblus asper* 277  
*Stylophorum* 123  
*Stysanus* 342  
*Suaeda corniculata* 153; *heteroptera* 153  
*Symphoricarpos orbiculatus* 212  
*Symplocarpus foetidus* 204  
*Symplocos* 257, 266  
*Taraxacum* 125, 142, 144, 147; *brassicaefolium*  
 152; *erythropodium* 152; *kok-saghyz* 119;  
*officinale* 120, f145; *pseudo-albidum* 152;  
*variegatum* 152  
*Tephrosia* 94-97; *vogelii* 93-98  
*Tetracoccusporium* 342  
*Thalictrum* 281  
*Themeda gigantea* 260, 266  
*Thespesia* 128-130; *danis* 129; *lampas* 129  
*Thespesia garckeana* 129; *populnea* 129, 130  
*Thuja occidentalis* 203; *plicata* 17  
*Tilia americana* 209; *amurensis* 153; *hetero-*  
*phylla* 209; *mandshurica* 153  
*Tragopogon porrifolius* 120  
*Trapa* 142, 144, 147; *amurensis* 152; *komarovii*  
 152; *natans* f149  
*Trichoderma* 110-114, 342  
*Trichothecium* 342  
*Trichurus* 342  
*Trigonotis peduncularis* 153  
*Trillium erectum* 204  
*Triosteum perfoliatum* 212  
*Tsuga canadensis* 25, 203; *heterophylla* 24, 26  
*Typha davidiana* 150; *latifolia* 150, 203  
*Ulmus* 144; *americana* 205; *macrocarpa* 153;  
*propinqua* 153; *pumila* 151  
*Urena lobata* 251, 266; *var. scabriuscula* 250,  
 266  
*Urtica* 124; *angustifolia* 151; *cannabina* 153;  
*laetevirens* 153  
*Vaccinium* 210; *angustifolium* 210; *macrocar-*  
*pon* 210; *stamineum* 210; *whitfordii* 255, 266  
*Valeriana* 154; *amurensis* 154  
*Vanilla planifolia* 351-357  
*Veratrum viride* 204  
*Verbena officinalis* 291  
*Veronicastrum virginicum* 211  
*Verticillium* 342; *albo-atrum* 345  
*Viburnum prunifolium* 212  
*Vigna sinensis* 257, 266  
*Vinca rosea* 392  
*Viola collina* 153; *mandshurica* 153; *patrini*  
 153; *prionantha* 153  
*Vitex negundo* 277, 280, 281  
*Vitis amurensis* 142, 152; *labrusca* 209; *rotun-*  
*difolia* 209  
*Volutella* 342  
*Warionia* 119  
*Wendlandia luzoniensis* 258, 266  
*Xanthium* 144; *strumarium* 147, 154  
*Xanthoxylum americanum* 208  
*Zea mays* 200, 203, 254, 266  
*Zingiber officinale* 257, 266  
*Zizyphus* 277; *jububa* 290





# ECONOMIC BOTANY

Devoted to Applied Botany and Plant Utilization

Founded by  
Edmund H. Fulling

Publication of The Society for Economic Botany

VOLUME XXI

1967

Published for The Society

by

THE NEW YORK BOTANICAL GARDEN

Printed by  
Monumental Printing Company  
Baltimore, Maryland

80

## TABLE OF CONTENTS

### NO. 1, JANUARY-MARCH

News of the Society for Economic Botany		1
The Use and Development of America's Forest Resources	Richard J. McConnen	2
Silvichemicals from the Forest	Arthur B. Anderson	15
New Developments in Silvichemicals	Eugene M. Seidel	31
Progress in Wood Residue Use in California	William A. Dost	42
Present Methods of Drying and Conditioning Wood for Use	Robert L. Youngs	46
The Redwoods of California—Largest of Economic Plants	Emanuel Fritz	51
The Balsam Pear—an Edible, Medicinal and Toxic Plant	Julia F. Morton	57
Effects of Soil Salinity on the Development of Jojoba		
	D. M. Yermanos, L. E. Francois and T. Tammadoni	69
The Chinese Gooseberry ( <i>Actinidia chinensis</i> ) in New Zealand		
	C. A. Schroeder and W. A. Fletcher	81
Recovery of Natural Insecticides from <i>Tephrosia vogelii</i> . III.		
An Improved Procedure for Sampling and Assaying		
Rotenoid Content in Leaves	Donald K. Barnes and Ruben H. Freyre	93
Effects of Row and Plant Spacing and Time of Planting on		
Seed Yield of Kenaf	J. F. Joyner and F. D. Wilson	99
Book Reviews		103

### NO. 2, APRIL-JUNE

News of the Society for Economic Botany		109
Fungal Protein for Food and Feeds. V. Rice as a Source		
of Carbohydrate for the Production of Fungal Protein	William D. Gray and Mohan D. Karve	110
Distribution of Latex in the Plant Kingdom	C. R. Metcalfe	115
Contents of Gossypol in Plants Belonging to Genera		
Related to Cotton	M. J. Lukefahr and Paul A. Fryxell	128
An Evaluation of Kenaf, Roselle, and Related <i>Hibiscus</i> for Fiber Production		
	F. D. Wilson	132
Wild Vegetables of the Chinese in Manchuria	A. I. Baranov	140
Processing Seeds for Oil in Towns and Villages of		
Turkey, India and Egypt	P. F. Knowles	156
Should Nishiyama's K123 ( <i>Ipomoea trifida</i> ) be Designated <i>I. batatas</i> ?	Alfred Jones	163
Collecting Plant Material for Pharmaceutical Testing	George Uhe, Jr.	167
Announcement		170
Fruit and Pedicel Characters Derived from Galapagos Tomatoes	Charles M. Rick	171
Cadushi ( <i>Cereus repandus</i> Mill.), A Useful Cactus of Curacao	Julia F. Morton	185
Book Reviews		192

TABLE OF CONTENTS, VOLUME 21, 1967

No. 3, JULY-SEPTEMBER

News of The Society for Economic Botany		197
Ethnobotany of the Southern Appalachian Aborigines	Earl L. Core	198
The History of the Pomegranate in the Holy Land	Asaph Goor	215
Kif Cultivation in the Rif Mountains	Tod H. Mikuriya	231
The Wellcome Materia Medica Collection and Herbarium as Research Aids	J. K. Crellin	235
Toxicity of Some Goldenrods		
Elmer G. Worthley, C. Donald Schott and Sp4 Gerhard A. Hauptmann		238
Ifugao Ethnobotany 1906-1965: The 1911 Beyer-Merrill Report in Perspective		
Harold C. Conklin		243
Fungal Protein for Food and Feeds. VI.		
Direct Use of Cane Juice	William D. Gray and Roscoe Paugh	273
<i>Alectra parasitica</i> var. <i>chitrakutensis</i>	Ramesh Bedi	277
Some Folk Uses of <i>Peganum harmala</i> in India and Pakistan	Ikram Hassan	284
Fluoride in Commercial Tea and Related Plants		
Leon Singer, W. D. Armstrong, and Govindakutty T. Vatasery		285
The Economic Botany of Dragon Tongue	Shiu-Ying Hu	288

No. 4, OCTOBER-DECEMBER

News of the Society for Economic Botany		293
A Review of Cellular Structure, Starch, and Texture Qualities of Processed Potatoes	R. M. Reeve	294
Guide Chart for Color Combinations in Hybrid Egg Plants	C. M. Sambandam	309
Ripening Tomatoes: Ethylene, Oxygen, and Light Treatments		
A. A. Boe and D. K. Salunkhe		312
The History of the Date through the Ages in the Holy Land	Asaph Goor	320
Fungal Protein for Food and Feeds. VII. Caloric Values of Fungus Mycelium	William D. Gray and Ian A. Staff	341
Genetic and Environmental Correlations of Leaf and Fruit Shapes of <i>Cucumis melo</i>	R. M. Davis, Jr., G. N. Davis, and U. G. H. Meinert	345
Parthenocarpic Pod Development by <i>Vanilla planifolia</i> Andrews Induced with Growth-Regulating Chemicals		
Luis E. Gregory, Murray H. Gaskins, and Carlos Colberg		351
Miraa and Myrrh in East Africa—Clinical Notes about <i>Catha edulis</i>	Edward L. Margetts	358
Some Studies on Secondary Dormancy in <i>Limnanthes</i> Seed		
S. J. Troy and B. C. Willingham		363
The Alkaloids of <i>Lupinus termis</i> . I. Isolation of 13-Hydroxylupanine from Lebanese-Grown Lupine Seed	Charles I. Abou-Char	367
Pejibaye Palm: Physical and Chemical Analysis of the Fruit	Carl L. Johannessen	371
A Search for the Origin of Pensacola Bahia Grass	Glenn W. Burton	379
Progress in the Development of Economic Botany and Knowledge of Food Plants	Tyozaburo Tanaka	383
Plant Patents: A Potentially Extinct Variety	Donald G. Daus	388
Book Reviews		395
Index to Volume 21		401

